



WHO-GMP/GLP/ISO 9001-2015 Certified company.

DRY SYRUPS & SACHETS

S.NO	GENERIC NAME	COMPOSITION	STRENGTH
1	AMOXICILLIN AND POTASSIUM CLAVULANATE ORAL SUSPENSION IP	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: AMOXICILLIN TRIHYDRATE EQ. TO AMOXICILLIN POTASSIUM CLAVULANATE (AS POTASSIUM CLAVULANATE DILUTED) EQ. TO CLAVULANIC ACID	200 mg 28.5 mg
2	AMOXICILLIN AND POTASSIUM CLAVULANATE ORAL SUSPENSION IP	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: AMOXICILLIN TRIHYDRATE EQ. TO AMOXICILLIN POTASSIUM CLAVULANATE (AS POTASSIUM CLAVULANATE DILUTED) EQ. TO CLAVULANIC ACID	125 mg 31.25 mg
3	AMOXICILLIN AND POTASSIUM CLAVULANATE ORAL SUSPENSION IP	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: AMOXICILLIN TRIHYDRATE EQ. TO AMOXICILLIN POTASSIUM CLAVULANATE (AS POTASSIUM CLAVULANATE DILUTED) EQ. TO CLAVULANIC ACID	400 mg 57 mg
4	AMOXICILLIN ORAL SUSPENSION IP	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: AMOXICILLIN TRIHYDRATE EQ. TO AMOXICILLIN	250mg
5	AMOXICILLIN ORAL SUSPENSION IP	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: AMOXICILLIN TRIHYDRATE EQ. TO AMOXICILLIN	125 mg
6	CEFPODOXIME PROXETIL AND POTASSIUM CLAVULANATE ORAL SUSPENSION	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: CEFPODOXIME PROXETIL EQ. TO CEFPODOXIME POTASSIUM CLAVULANATE (AS POTASSIUM CLAVULANATE DILUTED) EQ. TO CLAVULANIC ACID	50 mg 31.25 mg
7	CEFPODOXIME PROXETIL FOR ORAL SUSPENSION IP	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: CEFPODOXIME PROXETIL EQ. TO CEFPODOXIME	50 mg
8	CEFPODOXIME PROXETIL ORAL SUSPENSION IP	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: CEFPODOXIME PROXETIL EQ. TO CEFPODOXIME	100 mg
9	CEPHALEXIN ORAL SUSPENSION IP	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: CEPHALEXIN MONOHYDRATE EQ. TO CEPHALEXIN	125 mg
10	CEFIXIME ORAL SUSPENSION IP	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: CEFIXIME TRIHYDRATE EQ. TO CEFIXIME ANHYDROUS	50 mg

11	CEFIXIME ORAL SUSPENSION IP	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: CEFIXIME TRIHYDRATE EQ. TO CEFIXIME ANHYDROUS	100 mg
12	CEFACLOR ORAL SUSPENSION IP	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: CEFACLOR EQ. TO CEFACLOR ANHYDROUS	125 mg

13	CEFIXIME AND POTASSIUM CLAVULANATE ORAL SUSPENSION	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: CEFIXIME TRIHYDRATE EQ. TO CEFIXIME ANHYDROUS POTASSIUM CLAVULANATE (AS POTASSIUM CLAVULANATE DILUTED) EQ. TO CLAVULANIC ACID	50 mg 31.25 mg
14	CEFIXIME TRIHYDRATE AND LACTIC ACID BACILLUS ORAL SUSPENSION	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: CEFIXIME TRIHYDRATE EQ. TO CEFIXIME ANHYDROUS LACTIC ACID BACILLUS	50 mg 60 million spores
15	CEFUROXIME ORAL SUSPENSION	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: CEFUROXIME AXETIL EQ. TO CEFUROXIME	125 mg
16	LINEZOLID ORAL SUSPENSION	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: LINEZOLID	100 mg
17	CEFUROXIME AND POTASSIUM CLAVULANATE ORAL SUSPENSION	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS: CEFUROXIME AXETIL EQ. TO CEFUROXIME POTASSIUM CLAVULANATE (AS POTASSIUM CLAVULANATE DILUTED) EQ. TO CLAVULANIC ACID	125 mg 31.25 mg
18	CEFODOXIME PROXETIL & POTASSIUM CLAVULANATE ORAL SUSPENSION	EACH 5 ML (AFTER RECONSTITUTION) CONTAINS CEFODOXIME PROXETIL Eq. TO CEFODOXIME POTASSIUM CLAVULANATE (AS POTASSIUM CLAVULANATE DILUTED) Eq. TO CLAVULANIC ACID EXCIPIENTS	100MG 62.5MG

DONE